



TEST REPORT

1. NO : CT22-024604E

2. Client

○ Name : ASPT Co., Ltd.

○ Address : 172 Yeongcheon Sandan-ro, Geumho-eup, Yeongcheon-si, Gyeongsangbuk-do

3. Date of Test : 2022.03.04 ~ 2022.03.18

4. Use of Report :

5. Test Sample : Polyethylene

6. Test Method

(1) Korea Foods Industry Association Notice No. 1 for the food packaging.

7. Test Results

1) Polyethylene

Test Item(s)	Unit	Specifications	Test Method	Test Results	Remark	Loc.
Toluene	mg/m ²	Not more than 2	(1)	Not detected	-	A
Other Volatile matter	mg/m ²	Not more than 6	(1)	Not detected		

※ Location

A : 199, Gasan digital 1-ro, Geumcheon-gu, Seoul, Korea

----- End of Report -----

Affirmation	Tested By Name : KIMYEONGMIN	Technical Manager Name : Choi byung wook
-------------	---------------------------------	---

This report is not accredited by KOLAS.

Our report apply only to the standards or procedures identified and to the sample(s) tested unless otherwise specified. The test results are not indicative of representative of the qualities of the lot from which the sample was taken or of apparently identical or similar products. The results of using only a portion of this report cannot be guaranteed. The authenticity of this test report can be checked on KCL website(www.kcl.re.kr).

2022.03.18

Korea Conformity Laboratories

President Jo, Yung Tae

Result Inquiry : 36, Techno sunhwan-ro 12-gil, Yuga-eup, Dalseong-gun, Daegu, Republic of Korea (82-53-670-7365)

